

Panasonic



Handy Guide 2014

**A4 All-in-One
Multi-Function Printer
Facsimile Machine**



Panasonic Multi-Function Printers

The Key to Real SOHO Productivity
—Panasonic All-in-One
Laser Multi-Function Printers

With powerful multi-function document processing capability, combining printer, copier, fax and scanner functions with network connectivity, as well as sleek, compact designs, Panasonic All-in-One MFPs will take your business to the next level.



Trademarks and registered trademarks

- Wi-Fi and Wi-Fi CERTIFIED logo are registered trademarks of the Wi-Fi Alliance.
- Microsoft, Windows, Windows Vista, Windows Server, Excel and PowerPoint are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.
- Mac and OS X are trademarks of Apple Inc., registered in the U.S. and other countries.
- Linux is the registered trademark of Linus Torvalds in the U.S. and other countries.
- Red Hat and Red Hat Enterprise Linux are registered trademarks or trademarks of Red Hat, Inc. in the United States and/or other countries.
- Ubuntu is a registered trademark or a trademark of Canonical Ltd. in the U.S. and other countries.
- Google, Google Cloud Print and Google Play are trademarks or registered trademarks of Google, Inc.
- Adobe and PostScript are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Contents

Why Panasonic? 4

Product Lineup

Monochrome Laser MFP

NEW KX-MB2170 / MB2130 / MB2120	6
DP-MB311 / DP-MB310 / KX-MB2575 / MB2545 / MB2515 KX-MB2270 / MB2230	10
KX-MB2061	18
KX-MB2001	22

Colour Laser MFP

KX-MC6260 / MC6020	24
--------------------------	----

Laser Fax

KX-FL613 / FL611	28
KX-FL421	29

Cordless Fax

KX-FC278 / FC275	30
KX-FC268 / FC266 / FC265	31

Plain Paper Fax

KX-FP218 / FP215 / FP207 / FP205	32
KX-FP373 / FP701	33
KX-FT988 / FT986 / FT984 / FT982	34


Technical Data

Specifications	36
Consumables & Accessories	46


Why Panasonic?

Philosophy on Product Safety by Panasonic

Panasonic Promotes High-Quality Product Development




Panasonic effort for genuine consumable sales



Hologram on the carton box to ensure the product is genuine



Panasonic A4 MFP Full Lineup



NEW

KX-MB2170 / MB2130 / MB2120

KX-MB2170

Speed

Print	26 ppm (A4)
Copy*	26 cpm (A4)
Fax	Approx. 4.0 seconds/page

* Continuous copy of a single original.

Paper Capacity

ADF	Up to 35 sheets
Paper Tray	250 sheets + 1 sheet manual tray



KX-MB2170

KX-MB2130

Speed

Print	26 ppm (A4)
Copy*	26 cpm (A4)
Fax	Approx. 4.0 seconds/page

* Continuous copy of a single original.

Paper Capacity

ADF	Up to 35 sheets
Paper Tray	250 sheets + 1 sheet manual tray



KX-MB2130

KX-MB2120

Speed

Print	26 ppm (A4)
Copy*	26 cpm (A4)
Fax	Approx. 4.0 seconds/page

* Continuous copy of a single original.

Paper Capacity

ADF	Up to 35 sheets
Paper Tray	250 sheets + 1 sheet manual tray



KX-MB2120

Advanced Features


Quick Duplexing

Higher productivity

Boasting 24-ppm Quick Duplexing, Panasonic's KX-MB2100 series will give your business an immediate and dramatic boost in productivity, as well as offering the following advantages.


Save time

The KX-MB2100 series' Quick Duplexing can print out double-sided documents at a rate of 24 ppm, effectively cutting print time in half when compared to standard 26-ppm MFP duplexing.



Save space

Because you only need half as much paper – or even just a 1/4 as much when 2-in-1 duplex is used – you'll need a lot less storage space.



Save money

You'll also save plenty on consumables. With 2-in-1 duplex, you can slash paper consumption by as much as 75%, while cutting toner consumption in half. Printer operating time is also reduced, saving electricity cost.




QUICK-JOB key

Easy and quick operation

Up to 3 frequently-used functions or complicated copy/scan settings can be programmed to the QUICK-JOB key and recalled at the touch of a button, saving you time and trouble.

Program your preferred 2 in 1 and duplex combined copy settings. You can quickly recall and execute the program with the appropriate QUICK-JOB key for mistake-free operation, without having to repeat the same sequence of steps every time.




Secure printing

Keep your business secure

With Secure Print, you can prevent confidential documents from being leaked by protecting them with very high level security. Print data is password-protected and temporarily stored on your computer's hard drive. It can be retrieved and printed only when the password is entered on the printer. Plus, there is no limit to the number of pages you can store since, unlike most secure print systems that use memory-based storage, the secure print data is stored on your PC's hard drive.*

* Up to 30 jobs can be printed at a time from print data on the hard drive. If there are more than 30 jobs, additional jobs can be printed out after the first 30 jobs have completed.



- 1 Store print data with password in HDD.
- 2 Enter password from KX-MB2100 series, then retrieve print data from the computer if password is correct and start print out.

Mobile and remote printing*

Print from mobile devices

The KX-MB2100 series is compatible with the Google Cloud Print™ and Mobile Print application**, enabling printing from mobile devices such as tablets and smartphones and giving your business the edge in today's fast-moving world.

* Not available on the KX-MB2120.

** Planned to provide the application via App Store and Google Play™ by the beginning of 2015.



Handset (Available with Eastern Europe Models only)

Reliable Faxing with Voice Communication

The standard-equipped handset lets you call the recipient to confirm that a fax has arrived immediately after sending. This increases faxing reliability.



KX-MB2170HXLW



KX-MB2130HXLB



KX-MB2120HXLB

Dimensions / Weight

Dimensions (W x D x H) :
410 x 400 x 320 mm

Weight :
Approx. 12 kg (excluding toner cartridge)

KX-MB2170

Print	Copy	Scan	Fax	Network
26 ppm (A4) High speed Laser Printing	33.6 kbps Super G3 Fax Modem			
24 ppm (A4) Quick Duplexing	600 x 600 dpi Print Resolution			
Document Memory (3 MB)	Fax to PC / Email			
Colour Scan Capability	WiFi CERTIFIED			
35-Sheet Automatic Document Feeder	Scan to SMB folder / Email / FTP server (PDF, JPEG or TIFF)			



KX-MB2130

Print	Copy	Scan	Fax	Network
26 ppm (A4) High speed Laser Printing	Scan to SMB folder / Email / FTP server (PDF, JPEG or TIFF)			
24 ppm (A4) Quick Duplexing	33.6 kbps Super G3 Fax Modem			
Document Memory (3 MB)	600 x 600 dpi Print Resolution			
Colour Scan Capability	Fax to PC / Email			
35-Sheet Automatic Document Feeder				



KX-MB2120

Print	Copy	Scan	Fax
26 ppm (A4) High speed Laser Printing	35-Sheet Automatic Document Feeder		
24 ppm (A4) Quick Duplexing	33.6 kbps Super G3 Fax Modem		
Document Memory (3 MB)	600 x 600 dpi Print Resolution		
Colour Scan Capability			



Consumables

Toner Cartridge	KX-FAT472X (2,000 pages* ¹)
Drum Unit	KX-FAD473X (10,000 pages)

*1 ISO/IEC 19752 standard.

DP-MB311 **NEW** / MB310

KX-MB2575 / MB2545 / MB2515 / MB2270 / MB2230

DP-MB311 / MB310 DP-MB311 is planned to launch in April 2015.

Speed

Print	30 ppm (A4)
Copy*	30 cpm (A4)
Fax	Approx. 4.0 seconds/page

* DP-MB310: Continuous copy of a single original.

Paper Capacity

ADF*	Up to 50 sheets
Paper Tray	500 sheets + 50 sheets multi-purpose tray Max. 1,050 sheets**

* Reversing ADF ** Requires Optional Lower Input Tray



DP-MB310

KX-MB2575 / MB2545 / MB2515

Speed

Print	30 ppm (A4)
Copy*	30 cpm (A4)
Fax	Approx. 4.0 seconds/page

* Continuous copy of a single original.

Paper Capacity

ADF*	Up to 50 sheets
Paper Tray	500 sheets + 50 sheets multi-purpose tray Max. 1,050 sheets**

* Reversing ADF ** Requires Optional Lower Input Tray



KX-MB2575



KX-MB2545

KX-MB2270 / MB2230

Speed

Print	28 ppm (A4)
Copy*	28 cpm (A4)
Fax	Approx. 4.0 seconds/page

* Continuous copy of a single original.

Paper Capacity

ADF	Up to 50 sheets
Paper Tray	500 sheets + 1 sheet manual tray



KX-MB2270



KX-MB2230

Advanced Features

Quick Duplexing


Up to 28 ppm high speed duplex printing in A4

The DP-MB311/MB310 and KX-MB2500/MB2200 Series feature quick duplexing, which makes it possible to print both sides of the page at virtually the same speed* as single-side printing.




* With KX-MB2200 Series, duplexing productivity is 100%. With the DP-MB311, DP-MB310 and KX-MB2500 Series, duplexing productivity is 93%.

Quick Duplexing



After printing the back of 1st sheet, printing the back of 2nd sheet starts.
After printing the front of 1st sheet, printing the back of 3rd sheet starts.

Conventional Duplexing




After printing both sides of 1st sheet, printing of 2nd sheet starts.

A5 / A6-size Compatible ADF

Capable of handling smaller paper sizes

The 50-sheet automatic document feeder is capable of handling the smaller A5 and A6 formats as well as standard A4 sheets, making it especially useful in doctors' offices and pharmacies where smaller documents are commonly used.



500-sheet Paper Cassette in Compact Size

Capable of holding a full pack recording paper

Despite their compact design and slim profile with a height of just 400 mm, the DP-MB311, DP-MB310 and KX-MB2500/MB2200 Series are equipped with a large-capacity cassette capable of holding a full 500-sheet pack.




Direct Printing from USB Memory*

Convenient PC-free printing

A convenient built-in USB slot lets you plug in a USB memory stick and print data directly from the USB memory without using a PC.

* Available on the DP-MB311, DP-MB310, KX-MB2575, KX-MB2545 and KX-MB2515.



Built-In Wi-Fi® Wireless Network*

Clutter-free wireless office network

Built-in Wi-Fi® enables a wireless connection to a network PC via your local network, without requiring a physical LAN connection. The WPS key permits you to easily configure a wireless network.

* Available on the DP-MB311, KX-MB2575 and KX-MB2270.



Backlit LCD*

Easy operation even in the dark

The easy-to-see backlit LCD panel shows current function mode and current status. Together with the centralized control panel, this allows you to easily operate the printer even in the dark.



* Available on the DP-MB311, DP-MB310, KX-MB2575, KX-MB2545 and KX-MB2515.


Other Features

Duplex Copy*

To reduce paper consumption

Thanks to the built-in automatic duplex mechanism, you can make a double-sided copy of two single-sided documents or a two-sided document**. Also facilitates Booklet Copy.

* Not available for Quick ID, Easy Repeat, Poster Copy.
 ** Two-sided document scanning is available on the DP-MB311, DP-MB310, KX-MB2575, KX-MB2545 and KX-MB2515.




Secure printing*

Keep your business secure

With Secure Print, you can prevent confidential documents from being leaked by protecting them with very high level security. Print data is password-protected and temporarily stored on your computer's hard drive. It can be retrieved and printed only when the password is entered on the printer. Plus, there is no limit to the number of pages you can store since, unlike most secure print systems that use memory-based storage, the secure print data is stored on your PC's hard drive.**

* Available on the DP-MB311

** Up to 30 jobs can be printed at a time from print data on the hard drive. If there are more than 30 jobs, additional jobs can be printed out after the first 30 jobs have completed.



1 Store print data with password in HDD.

2 Enter password on the DP-MB311, then retrieve print data from the computer if password is correct and start print out.

Mobile and remote printing

Print from mobile devices


The DP-MB311/MB310 and KX-MB2500/MB2200 Series are compatible with the Mobile Print application*, enabling printing from mobile devices such as tablets and smartphones and giving your business the edge in today's fast-moving world. Also The DP-MB311 is compatible with Google Cloud Print™. * Planned to provide the application via App Store and Google Play™ by the beginning of 2015.



Internet Fax*

High speed transmission to boost efficiency

The Internet Fax function dramatically increases fax transmission speed. Panasonic Internet Fax capability far exceeds any Super G3 transmission and with Internet Fax, large jobs can be quickly transmitted over the Internet. * Available on the DP-MB311, DP-MB310, KX-MB2575 and KX-MB2545.



LDAP (Lightweight Directory Access Protocol)*

Easy phonebook management

The DP-MB311 supports LDAP which makes it possible for you to use your phonebook on the network. This means you don't have to separately register or manage email addresses or phone numbers on your device; instead you can consolidate the phonebook management on the network.

* Available on the DP-MB311.

Scanning as Password-protected PDF*

Secure document management

When scanning a document as a PDF file, you can save the scanned document with a password, ensuring secure document management.

* Available on the DP-MB311.

Dimensions / Weight

Dimensions (W x D x H) :
400 x 413 x 400 mm

Weight :
DP-MB311 / MB310 / KX-MB2575 / MB2545 / MB2515
Approx. 16 kg (excluding toner cartridge)
KX-MB2270 / MB2230
Approx. 15 kg (excluding toner cartridge)

DP-MB311

Print Copy Scan Fax Network

- 30 ppm (A4) High speed Laser Printing
- 28 ppm (A4) Quick Duplexing
- Document Memory (7.9 MB)
- Colour Scan Capability
- 50-Sheet Reversing Automatic Document Feeder
- Scan to FTP server / SMB Folder / USB memory (PDF, JPEG or TIFF)
- 33.6 kbps Super G3 Fax Modem
- 1200 x 1200 dpi (True) Print Resolution
- Fax to PC / Email
- PCL6

PS3 Adobe® PostScript® 3™



This logo is German environmental mark



DP-MB310

Print Copy Scan Fax Network

- 30 ppm (A4) High speed Laser Printing
- 28 ppm (A4) Quick Duplexing
- Document Memory (7.9 MB)
- Colour Scan Capability
- 50-Sheet Reversing Automatic Document Feeder
- Scan to FTP server / SMB Folder / USB memory (PDF, JPEG or TIFF)
- 33.6 kbps Super G3 Fax Modem
- 2400 x 600 dpi Print Resolution
- Fax to PC / Email
- PCL6



This logo is German environmental mark



Consumables

Toner Cartridge DQ-TCC008X (8,000 pages*¹)

Drum Unit DQ-DCC018X (18,000 pages)











Option

Lower Input Tray KX-FAP107 (500-sheet*²)

*1 ISO/IEC 19752 standard. *2 75g/m²

KX-MB2575

Print Copy Scan Fax Network

-  30 ppm (A4) High speed Laser Printing
-  33.6 kbps Super G3 Fax Modem
-  28 ppm (A4) Quick Duplexing
-  2400 x 600 dpi Print Resolution
-  Document Memory (7.3 MB)
-  Fax to PC / Email
-  Colour Scan Capability
-  PCL6
-  50-Sheet Reversing Automatic Document Feeder
-  Scan to FTP server / SMB Folder / USB memory (PDF, JPEG or TIFF)













This logo is German environmental mark



KX-MB2545

Print Copy Scan Fax Network

-  30 ppm (A4) High speed Laser Printing
-  33.6 kbps Super G3 Fax Modem
-  28 ppm (A4) Quick Duplexing
-  2400 x 600 dpi Print Resolution
-  Document Memory (7.3 MB)
-  Fax to PC / Email
-  Colour Scan Capability
-  PCL6
-  50-Sheet Reversing Automatic Document Feeder
-  Scan to FTP server / SMB Folder / USB memory (PDF, JPEG or TIFF)



This logo is German environmental mark



KX-MB2515

Print Copy Scan Network

-  30 ppm (A4) High speed Laser Printing
-  2400 x 600 dpi Print Resolution
-  28 ppm (A4) Quick Duplexing
-  PCL6
-  Colour Scan Capability
-  50-Sheet Reversing Automatic Document Feeder
-  Scan to FTP server / SMB Folder / USB memory (PDF, JPEG or TIFF)












This logo is German environmental mark



KX-MB2270









Print Copy Scan Fax Network

-  28 ppm (A4) High speed Laser Printing
-  33.6 kbps Super G3 Fax Modem
-  28 ppm (A4) Quick Duplexing
-  2400 x 600 dpi Print Resolution
-  Document Memory (3.1 MB)
-  Fax to PC / Email
-  Colour Scan Capability
-  50-Sheet Automatic Document Feeder
-  Scan to SMB folder / Email / FTP server (PDF, JPEG or TIFF)



KX-MB2230

Print Copy Scan Fax Network

-  28 ppm (A4) High speed Laser Printing
-  33.6 kbps Super G3 Fax Modem
-  28 ppm (A4) Quick Duplexing
-  2400 x 600 dpi Print Resolution
-  Document Memory (3.1 MB)
-  Fax to PC / Email
-  Colour Scan Capability
-  50-Sheet Automatic Document Feeder
-  Scan to SMB folder / Email / FTP server (PDF, JPEG or TIFF)



Consumables

Toner Cartridge	KX-FAT431X (6,000 pages*1,*2)
	KX-FAT430X (3,000 pages*1)
	KX-FAT420X (1,500 pages*1)
Drum Unit	KX-FAD422X (18,000 pages)

Option

Lower Input Tray*3 KX-FAP107 (500-sheet*4)

*1 ISO/IEC 19752 standard. *2 Available on the KX-MB2575, KX-MB2545 and KX-MB2515. *3 Available on the KX-MB2575, KX-MB2545 and KX-MB2515. *4 75g/m²

KX-MB2061

Speed

Print 24 ppm (A4)

Copy* 24 cpm (A4)

Fax Approx. 4.0 seconds/page

* Continuous copy of a single original.

Paper Capacity

ADF Up to 20 sheets

Paper Tray 250 sheets
+ 1 sheet manual input tray



KX-MB2061

Advanced Features

Built-in DECT Phone System


Expandable Cordless Handsets

The KX-MB2061 comes with a DECT cordless handset. More cordless handsets can be added for a total of six*. Now everyone can have a phone at his or her own desk.

* Cordless handset may not be available for purchase in some regions.




Intercom call



Voice to PC / Voice to Email

Transfer Voice Data to PC and Email

The KX-MB2061 can transfer voice data such as incoming messages, memos, or recorded conversations to an email address or PC for playback anywhere.



Web Voice Playback

Confirm Recording Message via Browser


The KX-MB2061 records incoming messages, 2-way or memo messages. You can play them back via a web browser such as Internet Explorer.

Automatic Transfer of Voice and Received Fax

Access the Information You Need Anytime, Anywhere

The KX-MB2061 can automatically transfer recorded incoming messages (ICM) or received fax data to an email address*¹ or PC. So, you can stay informed and up to date even when you're away from the office.

*1 Up to 6 Email addresses can be registered. This function may not be available depending on an Email server setting.




Other Features

Easy Print Utility*

Data Merge and Print

Lets you merge and print files created with different applications. You can rearrange pages into N-in-1 format, or add a header/footer/watermark before printing, then you can save it as a PDF file. This greatly reduces misprints.



* Supported only on Windows®.

Convenient Copy Functions

Diverse Copy Layout Editing

Quick ID Copy:

Copy both sides of one or more ID or business cards consecutively, and then print on a single page in N-in-1 format, reducing paper consumption.



Image Repeat:

Copy one original and print it repeatedly on a single page in N-in-1 format, easily producing tickets or other multiple items.



Network Colour Scanning


Easy Scanning via Network

Paper documents can be easily scanned in colour and converted into PC data. The scanned data can be sent to a PC as editable text data, or saved to a SMB folder (Windows share folder) or an FTP server without using a PC.

Web Fax Preview Function

Reducing Unnecessary Printouts

You can read the faxes you receive on a PC first via a web browser, then decide whether you want to print, save, or delete. Web Fax Preview minimises wasteful printouts.



Dimensions / Weight

Dimensions (W x D x H) :

420 x 432 x 305 mm (excluding handset)

Weight :

Approx. 12 kg (excluding toner and drum)

KX-MB2061

- Print
- Copy
- Scan
- Fax
- Network
- Cordless Telephone
- Intercom
- Telephone
- Answering System

- 24 ppm Laser Printing (A4)
- Multiple Handsets Up To 6
- 33.6 kbps Super G3 Fax Modem
- Digital Answering System
- Colour Scan Capability
- Scan to SMB folder / Email / FTP server (PDF, JPEG or TIFF)



Consumables

Toner Cartridge KX-FAT411X (2,000 pages*1)

Drum Cartridge KX-FAD412X (Max. 6,000 pages)

Option

Digital Cordless Handset*2 KX-TGA641EX

*1 ISO/IEC 19752 standard *2 Cordless handset may not be available for purchase in some regions.

KX-MB2001

Speed

Print 24 ppm (A4)

Copy 24 cpm (A4)

Paper Capacity

Paper Tray 250 sheets + 1 sheet manual input tray




KX-MB2001

Printer Features

Easy Print Utility

The Easy Print Utility is an integrated printing tool that lets you merge and print files created using different applications, such as Microsoft Word and Excel.



Copy Features

Enhanced Copier Functions

Poster 1x2 Copy (Scanner glass only)

You can make enlarged copy of A4 original in A3 size output.

Scanner Features

Easy Scanning (Colour Scan)

It's easy to send data to your PC.

Select SCAN mode and the destination PC (press "Set" key twice), then press the "START" key.



Dimensions / Weight

Dimensions (W x D x H) :
420 x 432 x 255 mm

Weight :
Approx. 11 kg

KX-MB2001



Consumables

Toner Cartridge KX-FAT411X (2,000 pages*)

Drum Cartridge KX-FAD412X (Max. 6,000 pages)

* ISO/IEC 19752 standard

KX-MC6260 / MC6020

Speed

Print (Mono / Colour) 20 / 20 ppm (A4)

Copy* (Mono / Colour) 20 / 20 cpm (A4)

Fax Approx. 4.0 seconds/page

* Continuous copy of a single original.

Paper Capacity

ADF Up to 50 sheets

Paper Tray 250 sheets

Max. 770 sheets*

* Requires Optional Lower Input Tray



KX-MC6260

Printer Features

High-Speed Colour Printing


Up to 20 ppm Colour Printing

The KX-MC6000 Series deliver up to 20 ppm printouts for both Colour and B&W (A4).



Print from Email Server

Scan-to-Email data received via the Internet can be printed out directly.



Note: Email text is not printed. Only the attached image data is printed.

Copy Features

High-Speed Colour Copy


The KX-MC6000 Series feature high-speed copy of up to 20 cpm (A4) for both Colour and B&W.



Enhanced Copier Functions

Quick ID copy (Scanner glass only)

You can copy both sides of the card original to a single sheet, allowing you to save paper. Convenient for copying business cards, driver's licenses or ID cards.



Fax Features

10 MB Document Memory Total

Reception memory with backup, up to 630 pages / Transmission memory, up to 150 pages.


Actual number of pages depends upon the contents of the pages, the resolution and the transmission mode. 630-page / 150-page capacity based upon ITU-T No.1 Test Chart at standard resolution.

Scanner Features

Easy Scanning (Colour Scan)

It's easy to send data to your PC.


Select SCAN mode and the destination PC (press Set key twice), then press the START key.



Network Features

Network Sharing

A single MFP can be shared by all the PCs connected to the LAN. All your office staff can use the MFP as network printer, network scanner or PC Fax via network.



Dimensions / Weight

Dimensions (W x D x H) :
520 x 438 x 546 mm

Weight :
Approx. 30 kg (excluding toner and drum)

KX-MC6260

Print	Copy	Scan	Fax	Network
3.6 Inch Colour LCD	Colour Scan-Colour	33.6 kbps Super G3 Fax Modem	Dual Access	
Printing Speed	50-Sheet Automatic Document Feeder	PC Fax	Card Slot	
PCL6 PCL6				



KX-MC6020

Print	Copy	Scan	Fax	Network
Printing Speed	PC Fax	Dual Access		
PCL6 PCL6	50-Sheet Automatic Document Feeder	33.6 kbps Super G3 Fax Modem		
Scan-Colour				



Consumables

Toner Cartridge	Standard Yield (pages*1)	High Yield (pages*1)
Cyan	KX-FATC501X (2,000)	KX-FATC506X (4,000)
Magenta	KX-FATM502X (2,000)	KX-FATM507X (4,000)
Yellow	KX-FATY503X (2,000)	KX-FATY508X (4,000)
Black	KX-FATK504X (2,500)	KX-FATK509X (4,000)
Waste Toner	KX-FAW505X (Colour: 8,000*1, B/W: 32,000*1)	
Drum Cartridge	KX-FADC510X (Colour: 10,000) / KX-FADK511X (B/W: 10,000)	

Options

Lower Input Tray	KX-FAP317X (520-sheet*2)
Automatic Duplex Unit	KX-FAB318X

*1 5% Coverage area. *2 75 g/m²

KX-FL613/FL611

Speed

Copy 14 cpm (A4)

Paper Capacity

ADF Up to 20 sheets

Paper Tray 250 sheets

Fax

Copy



20-Sheet Automatic Document Feeder



Multi Copy



Main Features

- ▶ 14 cpm Laser Copier Function (A4)
- ▶ 20-Sheet Automatic Document Feeder
- ▶ 14.4 kbps fax modem
- ▶ Built-in fax memory of approx. 170 pages (Out-of-Paper reception)

Dimensions / Weight

Dimensions (W x D x H) :
430 x 480 x 370 mm

Weight :
Approx. 9.2 kg

Consumables

Toner Cartridge KX-FA83X (2,500 pages*)

Drum Unit KX-FA84X (Max. 10,000 pages)

* 5% coverage area.

KX-FL421

Speed

Copy 10 cpm (A4)

Paper Capacity

ADF Up to 15 sheets

Paper Tray 250 sheets

Fax

Copy



250-Sheet Capacity Input Tray



15-Sheet Automatic Document Feeder



Multi Copy



Main Features

- ▶ 10 cpm Laser Copier Function (A4)
- ▶ 15-Sheet Automatic Document Feeder
- ▶ Super G3 Fax with 33.6 kbps fax modem
- ▶ Built-in fax memory of approx. 100 pages (Out-of-Paper reception)

Dimensions / Weight

Dimensions (W x D x H) :
360 x 357 x 218 mm

Weight :
Approx. 7.4 kg

Consumables

Toner Cartridge KX-FAT88X (2,000 pages*)

Drum Unit KX-FAD89X (Max. 10,000 pages)

* 5% coverage area.

KX-FC278/FC275**Main Features**

- ▶ Large, Easy-to-Read LCD Display
- ▶ Caller ID Compatibility*¹
- ▶ Digital Answering System (about 15 min. recording)

Dimensions / Weight**Dimensions (W x D x H) / Weight**

Base Unit:
367 x 200 x 106 mm / 2.8 kg

Cordless Handset:
48 x 30 x 158 mm / 130 g

Charger: 75 x 88 x 52 mm / 60 g

Consumables

Replacement Film KX-FA52X (30 m x 2 rolls)

Option

Optional Handset KX-TGA641E/EX/FX *²

*¹ Requires subscription to fee-based telephone company service.

*² Cordless handset model number is different according to region.

KX-FC268/FC266/FC265**Main Features**

- ▶ Digital Answering System (about 15 min. recording)
- ▶ Digital Duplex Speakerphone
- ▶ Caller ID Compatibility*¹

Dimensions / Weight**Dimensions (W x D x H) / Weight**

Base Unit:
374 x 200 x 106 mm / 2.7 kg

Cordless Handset:
48 x 30 x 158 mm / 130 g

Consumables

Replacement Film KX-FA52X (30 m x 2 rolls)

Option

Optional Handset KX-TGA641E/EX/FX *²

*¹ Requires subscription to fee-based telephone company service.

*² Cordless handset model number is different according to region.

Compact Plain Paper Fax

KX-FP218/FP215



Digital Answering System



Digital Duplex Speakerphone

Main Features

- ▶ Digital Answering System (about 18 min.* recording)
- ▶ Digital Duplex Speakerphone
- ▶ 14.4 kbps Fax Modem
- ▶ 28-Page Fax Memory

* 12 min. on models supporting 2 local languages for OGM.

Dimensions / Weight

Dimensions (W x D x H) :
356 x 200 x 106 mm

Weight :
Approx. 2.7 kg



Consumables

Replacement Film KX-FA52X (30 m x 2 rolls)

Compact Plain Paper Fax

KX-FP207/FP205

Main Features

- ▶ 28-Page Fax Memory
- ▶ 10-Page Automatic Document Feeder
- ▶ Enhanced Copier Function

Dimensions / Weight

Dimensions (W x D x H) :
356 x 200 x 106 mm

Weight :
Approx. 2.7 kg



Consumables

Replacement Film KX-FA52X (30 m x 2 rolls)

Multi-Function Plain Paper Fax

KX-FP373



Digital Answering System



PC Fax*



Digital Duplex Speakerphone

Main Features

- ▶ Digital Answering System (about 18 min. recording)
- ▶ Digital Duplex Speakerphone
- ▶ 14.4 kbps Fax Modem
- ▶ 28-Page Fax Memory



KX-FP373

Dimensions / Weight

Dimensions (W x D x H) :
355 x 272 x 185 mm

Weight :
Approx. 3.5 kg

Consumables

Replacement Film KX-FA57X (70 m x 1 roll)

Plain Paper Fax

KX-FP701

Main Features

- ▶ 28-Page Fax Memory
- ▶ 100-Item Phonebook
- ▶ 70 m Ink Film Length



KX-FP701

Dimensions / Weight

Dimensions (W x D x H) :
355 x 272 x 185 mm

Weight :
Approx. 3.5 kg

Consumables

Replacement Film KX-FA57X (70 m x 1 roll)

KX-FT988



Main Features

- ▶ Digital Answering System (about 18 min.* recording)
- ▶ Digital Duplex Speakerphone
- ▶ 28-Page Fax Memory
- ▶ Automatic Paper Cutter



KX-FT986



Main Features

- ▶ Digital Answering System (about 18 min.* recording)
- ▶ 28-Page Fax Memory
- ▶ 10-Sheet Automatic Document Feeder
- ▶ 100-Item Phonebook



KX-FT984



Main Features

- ▶ 28-Page Fax Memory
- ▶ 10-Sheet Automatic Document Feeder
- ▶ 100-Item Phonebook



KX-FT982



Main Features

- ▶ Automatic Paper Cutter
- ▶ 28-Page Fax Memory
- ▶ 110-Item Phonebook



Technical Data

Specifications

Consumables & Accessories

Dimensions / Weight

Dimensions (W x D x H) :
352 x 224 x 121 mm

Weight :
KX-FT988
Approx. 2.8 kg

KX-FT986 / FT984 / FT982
Approx. 2.7 kg

KX-MB2170 / MB2130 / MB2120

		KX-MB2170	KX-MB2130	KX-MB2120
General	Recording Paper Size	Input Tray: A4, LTR, B5(JIS/ISO), 16K Manual tray: A5, A4, LTR, LGL, B5(JIS/ISO), 216 x 330 mm, 216 x 340 mm, 16K, Envelope #10/DL/YOUKEI #4/CHOUKEI #3/CHOUKEI #4, Custom(W: 210-216mm, L: 279-356mm)*5		
	Recording Paper Capacity (Sheets) *1	250	250	250
	Automatic Document Feeder (Sheets)	35	35	35
	Manual Tray (Sheets)	1	1	1
	LCD Display	16 digits / 2 lines (Backlit LCD)	16 digits / 2 lines (Backlit LCD)	16 digits / 2 lines (Backlit LCD)
	Toner Empty Indicator	✓	✓	✓
	Memory Size	64 MB	64 MB	64 MB
	Software (Multi-Function / OCR)	✓ / —	✓ / —	✓ / —
	Phonebook (Phonebook + One-touch dial items)	100 + 0	100 + 0	100 + 0
PC I/F	USB	2.0 Hi-Speed	2.0 Hi-Speed	2.0 Hi-Speed
	Network Interface	10Base-T / 100Base-TX, Wi-Fi (IEEE802.11b/g/n)	10Base-T / 100Base-TX	—
Printer	Print Speed (Mono / Colour) (A4)	26/- ppm	26/- ppm	26/- ppm
	Print Resolution (dpi)	Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi
	First Print Time (sec.)	8.5	8.5	8.5
	Print Language	GDI	GDI	GDI
	Duplex Print / Booklet Print	✓ (24 ppm) / ✓	✓ (24 ppm) / ✓	✓ (24 ppm) / ✓
Supported OS (Windows)	Windows® XP / Windows Vista® / Windows® 7 / Windows® 8 / Windows® 8.1, Windows Server® 2008 / Windows Server® 2012	Windows® XP / Windows Vista® / Windows® 7 / Windows® 8 / Windows® 8.1, Windows Server® 2008 / Windows Server® 2012	Windows® XP / Windows Vista® / Windows® 7 / Windows® 8 / Windows® 8.1, Windows Server® 2008 / Windows Server® 2012	Windows® XP / Windows Vista® / Windows® 7 / Windows® 8 / Windows® 8.1, Windows Server® 2008 / Windows Server® 2012
	(Others)	Mac OS X 10.5-10.10*7, Linux*8	Mac OS X 10.5-10.10*7, Linux*8	Mac OS X 10.5-10.10*7, Linux*8
Copier	Copy Speed*2 (Mono / Colour)	26/- cpm	26/- cpm	26/- cpm
	First Copy Time (sec.)	Approx. 10.5 (from ADF)	Approx. 10.5 (from ADF)	Approx. 10.5 (from ADF)
	Copy Resolution (dpi)	Up to 600 x 600	Up to 600 x 600	Up to 600 x 600
	Multi-Copy (Pages)	99	99	99
	Duplex Copy	✓ (24 cpm*2)	✓ (24 cpm*2)	✓ (24 cpm*2)
	Image (Easy) Repeat / Booklet	✓ / ✓	✓ / ✓	✓ / ✓
N-in-1 / Quick ID / Separate N-in-1 / Poster Copy	✓ / ✓ / ✓ / ✓	✓ / ✓ / ✓ / ✓	✓ / ✓ / ✓ / ✓	
	—	—	—	
Scanner	Colour Scanning Resolution (ADF / Flatbed / Interpolated) (dpi)	Up to 600 x 600 / 600 x 1200 / 19200 x 19200	Up to 600 x 600 / 600 x 1200 / 19200 x 19200	Up to 600 x 600 / 600 x 1200 / 19200 x 19200
	Duplex Scan	—	—	—
	Scan to Email Address*3	✓	✓	—
	Scan to FTP Server	✓	✓	—
	Scan to SMB Folder	✓	✓	—
	Scan to USB memory	—	—	—
	Supported OS (Windows)	Windows® XP / Windows Vista® / Windows® 7 / Windows® 8 / Windows® 8.1	Windows® XP / Windows Vista® / Windows® 7 / Windows® 8 / Windows® 8.1	Windows® XP / Windows Vista® / Windows® 7 / Windows® 8 / Windows® 8.1
(Others)	Mac OS X 10.5-10.10*7, Linux*8	Mac OS X 10.5-10.10*7, Linux*8	Mac OS X 10.5-10.10*7, Linux*8	
Facsimile	Modem Speed (kbps)	33.6 -2.4	33.6 -2.4	33.6 -2.4
	Memory Transmission (Pages*4)	150	150	150
	Out-of-Paper Reception (Pages*4)	80	80	80
	Duplex Fax (Transmission / Reception)	— / ✓	— / ✓	— / ✓
	Sequential Broadcast (Locations)	20 x 3	20 x 3	20 x 3
	Internet Fax	—	—	—
	Error Correction Mode (ECM)	✓	✓	✓
	Incoming Fax Preview	✓ (Web)	✓ (Web)	—
	PC Fax Modem	✓	✓	✓
	Fax to Email	✓	✓	—
	Caller ID Compatibility*5	✓	✓	✓
	Caller ID List Printout	✓	✓	✓
	One-Touch Dialing (Items / Station keys)	—	—	—
	One-Touch Tone Switching	✓	✓	✓
External Telephone Jack	✓	✓	✓	
Telephone	Corded Handset	For western model: No / For eastern model: Yes	For western model: No / For eastern model: Yes	For western model: No / For eastern model: Yes
	Digital Cordless Handset	—	—	—
	Speakerphone	—	—	—
Dimensions (W x D x H mm)	410 x 400 x 320	410 x 400 x 320	410 x 400 x 320	
Weight (kg)	12	12	12	

*1 75 g/m² *2 Continuous copy of a single original in A4. *3 This function may not be available depending on an Email server setting. *4 Based on the ITU-T No. 1 Test Chart in standard resolution. *5 Requires subscription to fee-based telephone company

service. *6 PC print only. *7 Mac OS X 10.10 driver is provided via web download. *8 Supported Linux distribution: Red Hat® Enterprise Linux® Desktop 5/6/7, Ubuntu® 10/11/12/13/14. Driver is provided via web download.

DP-MB311 / MB310 / KX-MB2575 / MB2545 /

MB2515 / MB2270 / MB2230

		DP-MB311	DP-MB310	KX-MB2575 / MB2545	KX-MB2515	KX-MB2270 / MB2230
General	Recording Paper Size	Cassette: A4, A5, LTR, LGL, 216 x 330 mm, 216 x 340 mm, B5(JIS/ISO), 16K Multi-purpose tray/Manual tray: A4, A5, A6, LTR, LGL, B6(JIS/ISO), B5(JIS/ISO), 216 x 330 mm, 216 x 340 mm, 16K, Envelope #10/DL/YOUKEI #4/CHOUKEI #3/CHOUKEI #4, Japanese Postcard, Custom (W: 90-216 mm, L: 200-356 mm) ⁶				
	Recording Paper Capacity (Sheets) *1	500		500	500	500
	Optional Paper Feeder (Sheets) *1	500		500	500	—
	Automatic Document Feeder (Sheets)	50 (RADF)		50 (RADF)	50 (RADF)	50
	Manual Tray (Sheets)	50 (Multi-purpose tray)		50 (Multi-purpose tray)	50 (Multi-purpose tray)	1
	LCD Display	16 digits / 2 lines (Backlit LCD)		16 digits / 2 lines (Backlit LCD)	16 digits / 2 lines (Backlit LCD)	16 digits x 2 lines
	Toner Empty Indicator	✓		✓	✓	✓
	Memory Size	768 MB	64 MB	64 MB	64 MB	64 MB
	Software (Multi-Function / OCR)	✓ / ✓		✓ / ✓	✓ / ✓	✓ / —
	Phonebook (Phonebook + One-touch dial)/(Items)	300 + 6, Supported LDAP	300 + 6		300 + 0	—
PC I/F	USB	2.0 Hi-Speed		2.0 Hi-Speed	2.0 Hi-Speed	2.0 Hi-Speed
	Network Interface	10Base-T / 100Base-TX / 1000Base-T, IEEE802.11b/g/n	10Base-T / 100Base-TX	10Base-T / 100Base-TX IEEE802.11b/g/n (KX-MB2575 only)	10Base-T / 100Base-TX	10Base-T / 100Base-TX IEEE802.11b/g/n (KX-MB2270 only)
Printer	Print Speed (Mono / Colour) (A4)	30/- ppm		30/- ppm	30/- ppm	28/- ppm
	Print Resolution (dpi)	Up to 1200 x 1200 dpi (True) Up to 2400 x 600 dpi (Interpolated)		Up to 2400 x 600 dpi (Interpolated)	Up to 2400 x 600 dpi (Interpolated)	Up to 2400 x 600 dpi (Interpolated)
	First Print Time (sec.)	8.5		8.5	8.5	8.5
	Print Language	GDI, PCL6, PS3(Genuine) GDI, PCL6		GDI, PCL6	GDI, PCL6	GDI
	Duplex Print / Booklet Print	✓ (28 ppm) / ✓		✓ (28 ppm) / ✓	✓ (28 ppm) / ✓	✓ (28 ppm) / ✓
	Supported OS (Windows)	Windows® XP / Windows Vista® / Windows® 7 / Windows® 8 / Windows® 8.1, Windows Server® 2008 / Windows Server® 2012		Windows® XP / Windows Vista® / Windows® 7 / Windows® 8 / Windows® 8.1, Windows Server® 2008 / Windows Server® 2012	Windows® XP / Windows Vista® / Windows® 7 / Windows® 8 / Windows® 8.1, Windows Server® 2008 / Windows Server® 2012	Windows® XP / Windows Vista® / Windows® 7 / Windows® 8 / Windows® 8.1, Windows Server® 2008 / Windows Server® 2012
(Others)	Mac OS X 10.5-10.10, Linux ⁴ Mac OS X 10.5-10.10 ⁷ , Linux ⁸		Mac OS X 10.5-10.10 ⁷ , Linux ⁸	Mac OS X 10.5-10.10 ⁷ , Linux ⁸	Mac OS X 10.5-10.10 ⁷ , Linux ⁸	Mac OS X 10.5-10.10 ⁷ , Linux ⁸
Copier	Copy Speed ² (Mono / Colour)	30/- cpm		30/- cpm	30/- cpm	28/- cpm
	First Copy Time (sec.)	Approx. 8.0 (from ADF) 9.8 (from ADF)		9.8 (from ADF)	9.8 (from ADF)	9.8 (from ADF)
	Copy Resolution (dpi)	Up to 1200 x 1200 (Flatbed) / 600 x 600 (ADF)		Up to 600 x 600	Up to 600 x 600	Up to 600 x 600
	Multi-Copy (Pages)	99		99	99	99
	Duplex Copy	✓ (28 cpm ²)		✓ (28 cpm ²)	✓ (28 cpm ²)	✓ (28 cpm ²)
	Image (Easy) Repeat / Booklet	✓ / ✓		✓ / ✓	✓ / ✓	✓ / ✓
N-in-1 / Quick ID / Separate N-in-1 / Poster Copy	✓ / ✓ / ✓ / ✓		✓ / ✓ / ✓ / ✓	✓ / ✓ / ✓ / ✓	✓ / ✓ / ✓ / ✓	
Scanner	Colour Scanning Resolution (ADF / Flatbed / Interpolated) (dpi)	Up to 600 x 600 / 1200 x 1200 / 19200 x 19200		Up to 600 x 600 / 600 x 1200 / 19200 x 19200	Up to 600 x 600 / 600 x 1200 / 19200 x 19200	Up to 600 x 600 / 600 x 1200 / 19200 x 19200
	Duplex Scan	✓		✓	✓	—
	Scan to Email Address ³	✓		✓	✓	✓
	Scan to FTP Server	✓		✓	✓	✓
	Scan to SMB Folder	✓		✓	✓	✓
	Scan to USB memory	✓		✓	✓	—
	Supported OS (Windows)	Windows® XP / Windows Vista® / Windows® 7 / Windows® 8 / Windows® 8.1		Windows® XP / Windows Vista® / Windows® 7 / Windows® 8 / Windows® 8.1	Windows® XP / Windows Vista® / Windows® 7 / Windows® 8 / Windows® 8.1	Windows® XP / Windows Vista® / Windows® 7 / Windows® 8 / Windows® 8.1
(Others)	Mac OS X 10.5-10.10, Linux ⁴ Mac OS X 10.5-10.10 ⁷ , Linux ⁸		Mac OS X 10.5-10.10 ⁷ , Linux ⁸	Mac OS X 10.5-10.10 ⁷ , Linux ⁸	Mac OS X 10.5-10.10 ⁷ , Linux ⁸	Mac OS X 10.5-10.10 ⁷ , Linux ⁸
Facsimile	Modem Speed (kbps)	33.6 -2.4		33.6 -2.4	—	33.6 -2.4
	Memory Transmission (Pages ¹)	200		200	—	150
	Out-of-Paper Reception (Pages ⁴)	400		350	—	80
	Duplex Fax (Transmission / Reception)	✓ / ✓		✓ / ✓	— / —	— / ✓
	Sequential Broadcast (Locations)	20 x 3		20 x 3	—	20 x 3
	Internet Fax	✓		✓	—	—
	Error Correction Mode (ECM)	✓		✓	—	✓
	Incoming Fax Preview	✓ (Web)		✓ (Web)	—	✓ (Web)
	PC Fax Modem	✓		✓	—	✓
	Fax to Email	✓		✓	—	✓
	Caller ID Compatibility ⁵	✓		✓	—	✓
	Caller ID List Printout	✓		✓	—	✓
	One-Touch Dialing (Items / Station keys)	6 ⁹ / 3 x 2		—	—	—
One-Touch Tone Switching	✓		✓	—	✓	
External Telephone Jack	✓		✓	—	✓	
Telephone	Corded Handset	—		—	—	—
	Digital Cordless Handset	—		—	—	—
	Speakerphone	—		—	—	—
Dimensions (W x D x H mm)	400 x 413 x 400			400 x 413 x 400	400 x 413 x 400	400 x 413 x 400
Weight (kg)	16			16	16	15

*1 75 g/m² *2 Continuous copy of a single original in A4. (Except DP-MB311) *3 This function may not be available depending on an Email server setting. *4 Based on the ITO-T No. 1 Test Chart in standard resolution. *5 Requires subscription to fee-based telephone company service. *6 PC

print only. *7 Mac OS X 10.10 driver is provided via web download. *8 Supported Linux distribution: Red Hat® Enterprise Linux® Desktop 5/6/7, Ubuntu® 10/11/12/13/14. Driver is provided via web download. *9 For stations 4-6, combined operation with the "LOWER" key is required.

KX-MB2061 / MB2001

		KX-MB2061	KX-MB2001
General	Recording Paper Size	A4 / Letter / Legal / B5(JIS) / B5 (ISO) / 16K / 216mm x 330mm / 216mm x 340mm ⁶	
	Recording Paper Capacity (Sheets) *1	250	250
	Automatic Document Feeder (Sheets)	20	—
	Manual Tray (Sheets)	1	1
	LCD Display	16 digits x 2 lines	16 digits x 2 lines
	Toner Empty Indicator	✓	✓
	Memory Size	32MB	32MB
	Software (Multi-Function / OCR)	✓ / ✓	✓ / ✓
PC I/F	USB	2.0 Hi-Speed	2.0 Hi-Speed
	Network Interface	10Base-T / 100Base-TX	10Base-T / 100Base-TX
Printer	Print Speed (Mono / Colour) (A4)	24/- ppm	24/- ppm
	Print Resolution (dpi)	600 x 600	600 x 600
	First Print Time (sec.)	11	11
	Print Language	GDI	GDI
	Duplex Print / Booklet Print	—	—
	Supported OS (Windows)	Windows® 2000 / Windows® XP / Windows Vista® / Windows® 7 / Windows® 8 / Windows® 8.1	Windows® 2000 / Windows® XP / Windows Vista® / Windows® 7 / Windows® 8 / Windows® 8.1
	(Others)	Mac OS X 10.5-10.10 ⁷ , Linux ⁸	Mac OS X 10.5-10.10 ⁷ , Linux ⁸
Copier	Copy Speed ² (Mono / Colour)	24/- cpm	24/- cpm
	First Copy Time (sec.)	16	16
	Copy Resolution (dpi)	Up to 600 x 600	Up to 600 x 600
	Multi-Copy (Pages)	99	99
	Image (Easy) Repeat / Booklet	✓ / —	✓ / —
Scanner	N-in-1 / Quick ID / Separate N-in-1 / Poster Copy	✓ / ✓ / ✓ / ✓	✓ / ✓ / ✓ / ✓
	Colour Scanning Resolution (ADF / Flatbed / Interpolated)(dpi)	600 x 600 / 600 x 1200 / 9600 x 9600	600 x 600 / 600 x 1200 / 9600 x 9600
	Scan to Email Address ³	—	✓
	Scan to FTP Server	✓	✓
	Scan to SMB Folder	✓	✓
	Supported OS (Windows)	Windows® 2000 / Windows® XP / Windows Vista® / Windows® 7 / Windows® 8 / Windows® 8.1	Windows® 2000 / Windows® XP / Windows Vista® / Windows® 7 / Windows® 8 / Windows® 8.1
	(Others)	Mac OS X 10.5-10.10 ⁷ , Linux ⁸	Mac OS X 10.5-10.10 ⁷ , Linux ⁸
Facsimile	Modem Speed (kbps)	33.6 - 2.4	—
	Memory Transmission (Pages ⁴)	150	—
	Out-of-Paper Reception (Pages ⁴)	220	—
	Duplex Fax (Transmission / Reception)	— / —	—
	Sequential Broadcast (Locations)	20 x 2	—
	Error Correction Mode (ECM)	✓	—
	Incoming Fax Preview	✓ (Web)	—
	PC Fax Modem	—	—
	Fax to Email	✓	—
	Caller ID Compatibility ⁵	✓	—
	Caller ID List Printout	—	—
Telephone	One-Touch Dialing (Items / Station keys)	6 ^{*10} / 3 x 2	—
	One-Touch Tone Switching	✓	—
	External Telephone Jack	—	—
	Corded Handset	✓	—
	Digital Cordless Handset	✓ (1 units)	—
	Speakerphone	✓ (Cordless Handset)	—
	Digital Answering System	✓ (30 min.)	—
Voice Function	Intercom	Main unit - Handset / Handset - Handset (w/opt)	—
	Voice to PC/Email ³ , Web	—	—
	Voice Playback	—	—
Dimensions (W x D x H mm)		420 x 432 x 305	420 x 432 x 255
Weight (kg)		12	11

*1 75 g/m² *2 Continuous copy of a single original in A4. *3 This function may not be available depending on an Email server setting. *4 Based on ITU-T No.1 chart scanned in standard mode. *5 Requires subscription to fee-based telephone company service. *6 Paper sizes of Legal, 216 mm x 330 mm and 216 mm x 340 mm are supported from Manual Input Tray only.

KX-MC6260 / MC6020

		KX-MC6260	KX-MC6020
General	Recording Paper Size	A4, Letter, Legal, Envelope #10/DL	
	Recording Paper Capacity (Sheets) *1	250	250
	Optional Paper Feeder (Sheets) *1	520	520
	Automatic Document Feeder (Sheets)	50	50
	Manual Tray (Sheets)	—	—
	LCD Display	3.6 inch Colour LCD	16 digits x 2 lines
	SD Card Slot (for SD Direct Print and Scan to SD)	✓ SD / SDHC	—
	Toner Empty Indicator	✓	✓
PC I/F	Memory Size	192MB	192MB
	Software (Multi-Function / OCR)	✓ / ✓	✓ / ✓
Printer	Phonebook (Phonebook + One-touch dial)(Items)	300 + 0	300 + 6
	USB	2.0 Hi-Speed	2.0 Hi-Speed
	Network Interface	10Base-T / 100Base-TX	10Base-T / 100Base-TX
	Print Speed (Mono / Colour) (A4)	20/20 ppm	20/20 ppm
	Print Resolution (dpi)	Up to 1200 x 1200	Up to 1200 x 1200
	First Print Time (sec.)	16(B&W), 17(Colour)	16(B&W), 17(Colour)
	Print Language	GDI, PCL6	GDI, PCL6
Copier	Duplex Print / Booklet Print	Optional / Optional	Optional / Optional
	Supported OS (Windows)	Windows® 98 / Windows® Me / Windows® 2000 / Windows® XP / Windows Vista® / Windows® 7 / Windows® 8 / Windows® 8.1	Windows® 98 / Windows® Me / Windows® 2000 / Windows® XP / Windows Vista® / Windows® 7 / Windows® 8 / Windows® 8.1
	(Others)	Mac OS X 10.3-10.10 ⁹ , Linux ⁸	Mac OS X 10.3-10.10 ⁹ , Linux ⁸
	Copy Speed ² (Mono / Colour)	20/20 cpm	20/20 cpm
Scanner	First Copy Time (sec.)	16(B&W), 26(Colour)	16(B&W), 26(Colour)
	Copy Resolution (dpi)	Up to 600 x 600	Up to 600 x 600
	Multi-Copy (Pages)	99	99
	Duplex Copy	Optional (1->2)	Optional (1->2)
	Image (Easy) Repeat / Booklet	✓ / Optional	✓ / Optional
	N-in-1 / Quick ID / Separate N-in-1 / Poster Copy	✓ / ✓ / ✓ / ✓	✓ / ✓ / ✓ / ✓
	Supported OS (Windows)	Windows® 98 / Windows® Me / Windows® 2000 / Windows® XP / Windows Vista® / Windows® 7 / Windows® 8 / Windows® 8.1	Windows® 98 / Windows® Me / Windows® 2000 / Windows® XP / Windows Vista® / Windows® 7 / Windows® 8 / Windows® 8.1
Facsimile	(Others)	Mac OS X 10.5-10.10 ⁷ , Linux ⁸	Mac OS X 10.5-10.10 ⁷ , Linux ⁸
	Modem Speed (kbps)	33.6 - 2.4	33.6 - 2.4
	Memory Transmission (Pages ⁴)	150	150
	Out-of-Paper Reception (Pages ⁴)	630	630
	Duplex Fax (Transmission / Reception)	— / —	— / —
	Sequential Broadcast (Locations)	20 x 5	20 x 2
	Error Correction Mode (ECM)	✓	✓
	Incoming Fax Preview	✓ (LCD)	—
	PC Fax Modem	✓	✓
	Fax to Email	—	—
	Caller ID Compatibility ⁵	✓	✓
Caller ID List Printout	✓	✓	
Telephone	One-Touch Dialing (Items / Station keys)	—	6 ^{*10} / 3 x 2
	One-Touch Tone Switching	✓	✓
	External Telephone Jack	✓	✓
Dimensions (W x D x H mm)		520 x 438 x 546	520 x 438 x 546
Weight (kg)		30	30

*7 Mac OS X 10.10 driver is provided via web download. *8 Supported Linux distribution: Red Hat® Enterprise Linux® Desktop 5/6/7, Ubuntu® 10/11/12/13/14. Driver is provided via web download. *9 Mac OS X 10.3-10.4 and 10.10 drivers are provided via web download. *10 For stations 4-6, combined operation with the "LOWER" key is required.

KX-FL613 / FL611 / FL421 / FC278 / FC275 / FC268 /

FC266 / FC265 / FP218 / FP215 / FP207 / FP205

		KX-FL613 / KX-FL611	KX-FL421		KX-FC278 / FC275	KX-FC268 / FC266 / FC265	KX-FP218 / FP215	KX-FP207 / FP205
General	Print Technology	Laser	Laser		Thermal Transfer	Thermal Transfer	Thermal Transfer	Thermal Transfer
	Laser Print Speed (ppm)	10	10 (A4)		-	-	-	-
	Laser Print Resolution (dpi)	600	600 x 600		-	-	-	-
	Paper Cassette (Sheets) *1	250	250		-	-	-	-
	Automatic Document Feeder	20	15		10	10	10	10
	PC Interface	-	-		-	-	-	-
Facsimile	Modem Speed (kbps)	14.4 - 2.4	33.6 - 2.4		9.6 - 2.4	9.6 - 2.4	14.4 - 2.4	9.6 - 2.4
	Coding Scheme	MH/MR/MMR	MH/MR/MMR		MH/MR/MMR	MH/MR/MMR	MH/MR/MMR	MH/MR/MMR
	ECM	✓	✓		✓	✓	✓	✓
	Memory Transmission (Pages*2)	120	150		25	25	25	25
	Out-of-Paper Reception (Pages*2)	170	100		28	28	28	28
	Sequential Broadcast (locations)	20 x 3	20 x 3		20	20	20	20
	64-Level Halftones	✓	✓		✓	✓	✓	✓
	Distinctive Ring	✓	✓		✓	✓	✓	✓
Copy	Junk Fax Prohibitor	✓	✓		✓	✓	✓	✓
	Multi-Copy (Pages)	99	99		20	20	20	20
	Enlargement / Reduction / Collate (Sort)	✓	✓		✓	✓	✓	✓
	N-in-1 copy	-	-		-	-	-	-
Integrated Telephone	One-Touch Dialing	22	10		9	9	9	9
	Handset Type	Corded	Corded		Corded and Cordless	Cordless	Corded	Corded
	Cordless Handset LCD	-	-		Full-dot, 1.8-inch	Full-dot, 1.8-inch	-	-
	Phonebook (Items)	100 + 22	100		100 (Base), 100 (H/S)	100 (Base), 100 (H/S)	50	50
	On-Hook Dialing	✓	✓		✓	✓	✓	✓
	Fax/Telephone Switch	✓	✓		✓	✓	✓	✓
	Digital Speakerphone	-	-		Handset / Base Unit	Handset / Base Unit	✓	-
	Voice Enhancer	-	-		✓	✓	-	-
	Caller ID Compatibility*3	✓	✓		✓	✓	✓	✓
Digital Answering System	Caller ID List Printout	✓	✓		✓	✓	✓	✓
	Recording Time (Max. min.)	-	-		15	15	18*5	-
	Tone Remote Control	-	-		✓	✓	✓	-
	New Message Playback	-	-		✓	✓	✓	-
	Skip / Repeat Function	-	-		✓	✓	✓	-
	Voice Time / Day Stamp	-	-		✓	✓	✓	-
	Pre-Recorded Greeting Message	-	-		✓	✓	✓	-
	Message Backup IC	-	-		✓	✓	✓	-
Consumables	KX-FA83X/KX-FA84X	KX-FAT88X/KX-FAD89X		KX-FA52X	KX-FA52X	KX-FA52X	KX-FA52X	
Optional Handset	-	-		KX-TGA641E / EX / FX	KX-TGA641E / EX / FX	-	-	
Dimensions (W x D x H mm)	Base Unit	430 x 480 x 370	360 x 357 x 218		367 x 200 x 106	374 x 200 x 106	356 x 200 x 106	356 x 200 x 106
	Handset	-	-		48 x 30 x 158	48 x 30 x 158	-	-
	Charger	-	-		75 x 88 x 52	-	-	-
Weight	Base Unit (kg)	9.2	7.4		2.8	2.7	2.7	2.7
	Handset (g)	-	-		130	130	-	-
	Charger (g)	-	-		60	-	-	-

*1 75 g/m² *2 Based on ITU-T No.1 chart scanned in standard mode. *3 Requires subscription to fee-based telephone company service. *4 Please use a thermal recording paper of 216 mm x 30 mm (max.) roll. *5 12 min. on models supporting 2 local languages for OGM.

*1 75 g/m² *2 Based on ITU-T No.1 chart scanned in standard mode. *3 Requires subscription to fee-based telephone company service. *4 Please use a thermal recording paper of 216 mm x 30 mm (max.) roll. *5 12 min. on models supporting 2 local languages for OGM.

KX-FP701 / FP373 / FT988 / FT986 / FT984 /

FT982

		KX-FP701	KX-FP373		KX-FT988	KX-FT986	KX-FT984	KX-FT982
General	Printing Process	Thermal Transfer	Thermal Transfer		Thermal	Thermal	Thermal	Thermal
	Recording Paper Capacity (Sheets) *1	50	50		-	-	-	-
	Automatic Document Feeder (Sheets)	10	10		10	10	10	10
	Automatic Paper Cutter PC Interface	- -	- -		✓ -	✓ -	✓ -	- -
Facsimile	Modem Speed (kbps)	9.6 - 2.4	14.4 - 2.4		9.6 - 2.4	9.6 - 2.4	9.6 - 2.4	9.6 - 2.4
	Coding Scheme	MH/MR/MMR	MH/MR/MMR		MH/MR	MH/MR	MH/MR	MH/MR
	ECM	✓	✓		-	-	-	-
	Memory Transmission (Pages*2)	25	25		25*5	25*5	25*5	25*5
	Out-of-Paper Reception (Pages*2)	28	28		28	28	28	28
	Sequential Broadcast (locations)	20	20		20	20	20	20
	64-Level Halftones	✓	✓		✓	✓	✓	✓
	Distinctive Ring Junk Fax Prohibitor	- ✓	- ✓		✓ ✓	✓ ✓	✓ ✓	✓ ✓
Copy	Multi-Copy (Pages)	50	50		-	-	-	-
	Enlargement / Reduction / Collate (Sort)	✓	✓		-	-	-	-
	N-in-1 copy	-	-		-	-	-	-
Integrated Telephone	One-Touch Dialing (Items / Station keys)	6 / 6	10*4 / 5		10*4 / 5	10*4 / 5	10*4 / 5	10*4 / 5
	Handset Type	Corded	Corded		Corded	Corded	Corded	Corded
	Cordless Handset LCD	-	-		-	-	-	-
	Phonebook (Phonebook + One-touch dial) (Item)	100 + 6	100 + 10		100 + 10	100 + 10	100 + 10	100 + 10
	On-Hook Dialing	✓	✓		✓	✓	✓	✓
	Fax/Telephone Switch	✓	✓		✓	✓	✓	✓
	Speakerphone	-	✓		✓	✓	-	-
	Voice Enhancer	-	-		-	-	-	-
	Caller ID Compatibility*3 Caller ID List Printout	✓ ✓	✓ ✓		✓ ✓	✓ ✓	✓ ✓	✓ ✓
Digital Answering System	Recording Time (Max. min.)	-	18		18	18	-	-
	Tone Remote Control	-	✓		✓	✓	-	-
	New Message Playback	-	✓		✓	✓	-	-
	Skip / Repeat Function	-	✓		✓	✓	-	-
	Voice Time / Day Stamp	-	✓		✓	✓	-	-
	Pre-Recorded Greeting Message	-	✓		✓	✓	-	-
	Message Backup IC	-	✓		✓	✓	-	-
Dimensions (W x D x H mm)	355 x 272 x 185	355 x 272 x 185		352 x 224 x 121	352 x 224 x 121	352 x 224 x 121	352 x 224 x 121	
Weight (kg)	3.5	3.5		2.8	2.8	2.8	2.7	

*1 90 g/m² *2 Based on ITU-T No.1 chart scanned in standard mode. *3 Requires subscription to fee-based telephone company service. *4 For stations 6-10, combined operation with the "LOWER" key is required. *5 Available for broadcast transmission only.

Consumables & Options Matrix

KX-MC6260 / MC6020

Consumables	Product No.	Yield	KX-MC6260	KX-MC6020
Cyan Toner Cartridge	KX-FATC501X	2,000 sheets*1	✓	✓
Magenta Toner Cartridge	KX-FATM502X	2,000 sheets*1	✓	✓
Yellow Toner Cartridge	KX-FATY503X	2,000 sheets*1	✓	✓
Black Toner Cartridge	KX-FATK504X	2,500 sheets*1	✓	✓
Cyan Toner Cartridge	KX-FATC506X	4,000 sheets*1	✓	✓
Magenta Toner Cartridge	KX-FATM507X	4,000 sheets*1	✓	✓
Yellow Toner Cartridge	KX-FATY508X	4,000 sheets*1	✓	✓
Black Toner Cartridge	KX-FATK509X	4,000 sheets*1	✓	✓

Consumables	Product No.	Yield	KX-MC6020
Colour Drum Unit	KX-FADC510X	10,000 sheets	✓
Black Drum Unit	KX-FADK511X	10,000 sheets	✓
Waste Toner Cartridge	KX-FAW505X		✓
Options	Product No.	Spec.	KX-MC6020
Lower Input Tray	KX-FAP317X	520 sheets	✓
Auto Duplex Unit	KX-FAB318X		✓

DP-MB311 / MB310 / KX-MB2575 / MB2545 / MB2515 /

Consumables	Product No.	Yield	DP-MB311	DP-MB310
Toner Cartridge	DQ-TCC008X	8,000 sheets*2	✓	✓
Drum Unit	DQ-DCC018X	18,000 sheets	✓	✓
Toner Cartridge	KX-FAT431X	6,000 sheets*2		
Toner Cartridge	KX-FAT430X	3,000 sheets*2		
Toner Cartridge	KX-FAT421X	2,000 sheets*2		
Drum Unit	KX-FAD422X	18,000 sheets		
Options	Product No.	Spec.	DP-MB311	DP-MB310
Lower Input Tray	KX-FAP107	500 sheets	✓	✓

MB2270 / MB2230

Consumables	Product No.	Yield	DP-MB311	DP-MB310	KX-MB2575	KX-MB2545	KX-MB2515	KX-MB2270	KX-MB2230
Toner Cartridge	DQ-TCC008X	8,000 sheets*2	✓	✓					
Drum Unit	DQ-DCC018X	18,000 sheets	✓	✓					
Toner Cartridge	KX-FAT431X	6,000 sheets*2			✓	✓	✓		
Toner Cartridge	KX-FAT430X	3,000 sheets*2			✓	✓	✓	✓	✓
Toner Cartridge	KX-FAT421X	2,000 sheets*2			✓	✓	✓	✓	✓
Drum Unit	KX-FAD422X	18,000 sheets			✓	✓	✓	✓	✓
Options	Product No.	Spec.	DP-MB311	DP-MB310	KX-MB2575	KX-MB2545	KX-MB2515	KX-MB2270	KX-MB2230
Lower Input Tray	KX-FAP107	500 sheets	✓	✓	✓	✓	✓		

KX-MB2170 / MB2130 / MB2120 / MB2061 / MB2001

Consumables	Product No.	Yield	KX-MB2170	KX-MB2130	KX-MB2120	KX-MB2061	KX-MB2001
Toner Cartridge	KX-FAT472X	2,000 sheets*2	✓	✓	✓		
Drum Cartridge	KX-FAD473X	10,000 sheets	✓	✓	✓		
Toner Cartridge	KX-FAT411X	2,000 sheets*2				✓	✓
Drum Cartridge	KX-FAD412X	6,000 sheets				✓	✓
Options	Product No.	Spec.	KX-MB2170	KX-MB2130	KX-MB2120	KX-MB2061	KX-MB2001
Digital Cordless Handset	KX-TGA641EX					✓	

KX-FL613 / FL611 / FL421 / FC278 / FC275 / FC268 / FC266 /

Consumables	Product No.	Yield	KX-FL613 / KX-FL611	KX-FL421	KX-FC278
Toner Cartridge	KX-FA83X	2,500 sheets*1	✓		
Drum Unit	KX-FA84X	Max. 10,000 sheets	✓		
Toner Cartridge	KX-FAT88X	2,000 sheets*1		✓	
Drum Unit	KX-FAD89X	Max. 10,000 sheets		✓	
Replacement Film	KX-FA52X	30m x 2 rolls			✓
Replacement Film	KX-FA57X	70m x 1 roll			
Options	Product No.	Spec.	KX-FL613 / KX-FL611	KX-FL421	KX-FC278
Digital Cordless Handset	KX-TGA641E KX-TGA641EX KX-TGA641FX				✓

FC265 / FP701 / FP373 / FP218 / FP215 / FP207 / FP205

Consumables	Product No.	Yield	KX-FC275	KX-FC268	KX-FC266	KX-FC265	KX-FP701 / KX-FP373	KX-FP218 / KX-FP215	KX-FP207 / KX-FP205
Toner Cartridge	KX-FA83X	2,500 sheets*1							
Drum Unit	KX-FA84X	Max. 10,000 sheets							
Toner Cartridge	KX-FAT88X	2,000 sheets*1							
Drum Unit	KX-FAD89X	Max. 10,000 sheets							
Replacement Film	KX-FA52X	30m x 2 rolls	✓	✓	✓	✓		✓	✓
Replacement Film	KX-FA57X	70m x 1 roll					✓		
Options	Product No.	Spec.	KX-FC275	KX-FC268	KX-FC266	KX-FC265	KX-FP701 / KX-FP373	KX-FP218 / KX-FP215	KX-FP207 / KX-FP205
Digital Cordless Handset	KX-TGA641E KX-TGA641EX KX-TGA641FX		✓*3		✓*3	✓*3			

KX-FT988 / FT986 / FT984 / FT982

Please use a thermal recording paper of 216 mm x 30 m (max.) roll.

*1 5% Coverage. *2 ISO/IEC 19752 standard *3 Cordless handset model number is different according to region.